

PATENT  
Atty. Dkt. No. ROC920010264US1  
MPS Ref. No.: IBMK10264

**IN THE CLAIMS:**

Please amend the claims as follows:

1. (Previously Presented) A method for affixing labels on a printed output medium for separating print jobs, comprising:

spooling at least one print file to a print queue;

executing a print label program for identifying a first page of each print job in the print queue;

generating an identification label for each print job, wherein each identification label includes information specific to the respective print job in order to distinguish separate print jobs; and

automatically affixing a label on the first page of each print job without user intervention.

2. (Original) The method of claim 1, wherein the affixing is performed contemporaneously as the first page of each print job prints.

3. (Original) The method of claim 1, further comprising stacking each printed print job having the label affixed thereon in sequential order of printing.

4. (Original) The method of claim 1, wherein the generating comprises:  
identifying print source information; and  
printing the print source information on the labels prior to the affixing step.

5. (Original) The method of claim 4, wherein the identifying print source information comprises information selected from the group consisting of name of the

Page 2

385276\_1

**BEST AVAILABLE COPY**

PATENT  
Atty. Dkt. No. ROC920010264US1  
MPS Ref. No.: IBMK10264

person requesting the print job, a node identifier, a workstation, date, time, file name, telephone extension, symbols, graphical images, and color codes.

6. (Original) The method of claim 1, wherein the affixing step further comprises attaching the label of each print job along a margin of the first page of the printed output medium.
7. (Original) The method of claim 6, wherein the attaching step further comprises aligning the label of each print job in a same region along the margin of each first page.
8. (Original) The method of claim 6, wherein the attaching step further comprises staggering the label of each print along the margin of each first page.
9. (Original) The method of claim 1, wherein affixing comprises attaching the label on a margin of the first page of each print job so that a portion of the label extends over an edge of the respective first page.
10. (Original) The method of claim 1, wherein the label has an adhesive backing.
11. (Previously Presented) A computer readable medium containing a program which, when executed, performs an operation for affixing labels on a printed output medium for separating print jobs, comprising:
  - monitoring spooled print jobs in a print queue;
  - identifying a first page of each print job in the print queue; and

**PATENT**  
Atty. Dkt. No. ROC920010264US1  
MPS Ref. No.: IBMK10264

causing a label affixing device to affix a label on the first page of each print job without further user intervention, wherein the label contains identification information for the respective print job in order to distinguish separate print jobs.

12. (Original) The computer readable medium of claim 11, wherein the affixing is performed contemporaneously as the first page of each print job prints.

13. (Original) The computer readable medium of claim 11, further comprising stacking each printed print job having the label affixed thereon in sequential order of printing.

14. (Original) The computer readable medium of claim 11, wherein the operation further comprises generating the identification information and transmitting the identification information to the label affixing device.

15. (Original) The computer readable medium of claim 14, wherein the generating comprises:

identifying print source information; and

printing the print source information on the labels prior to the affixing step.

16. (Original) The computer readable medium of claim 15, wherein the identifying print source information comprises information selected from the group consisting of name of the person requesting the print job, a node identifier, a workstation, date, time, file name, telephone extension, symbols, graphical images, and color codes.

PATENT  
Atty. Dkt. No. ROC920010264US1  
MPS Ref. No.: IBMK10264

17. (Original) The computer readable medium of claim 11, wherein the affixing step further comprises attaching the label of each print job along a margin of the first page of the printed output medium.
18. (Original) The computer readable medium of claim 17, wherein the attaching step further comprises aligning the label of each print job in a same region along the margin of each first page.
19. (Original) The computer readable medium of claim 17, wherein the attaching step further comprises staggering the label of each print job along the margin of each first page.
20. (Original) The computer readable medium of claim 11, wherein affixing comprises attaching the label on a margin of the first page of each print job so that a portion of the label extends over an edge of the respective first page.
21. (Original) The computer readable medium of claim 11, wherein the label has an adhesive backing.
22. (Previously Presented) A system for affixing labels on printed output medium for separating print jobs, comprising:
- at least one computer device;
  - a printing device coupled to the at least one computer device for printing documents according to print jobs;
  - a label affixing device coupled to the printing device for automatically affixing labels on the printed documents; and

PATENT  
Atty. Dkt. No. ROC920010264US1  
MPS Ref. No.: IBMK10264

a controller for controlling the label affixing device to affix a separate label to each separate printed document corresponding to a different print job so that the separate printed documents can be visually distinguished from one another by their respective affixed labels.

23. (Original) The system of claim 22, wherein the label affixing device affixes a label on a first sheet of a print job contemporaneously as the first sheet is printing.

24. (Original) The system of claim 22, wherein the label affixing device affixes a label on a first sheet of a print job after the first sheet is printing.

25. (Original) The system of claim 22, wherein each label is affixed along a margin of the first sheet of the print job.

26. (Original) The system of claim 25, wherein a portion of the label extends over an edge of the respective first page.

27. (Previously Presented) A network printing apparatus, comprising:

a network interface for receiving print jobs from a plurality of client devices on a network;

a printing device for printing documents according to the received print jobs and comprising an output portion for dispensing the printed documents;

a label application device disposed adjacent the output portion and configured for automatically affixing labels on the printed documents upon dispensation from the output portion without further user intervention, the label application device comprising:

a label print head disposed proximate the output portion;

PATENT  
Atty. Dkt. No. ROC920010264US1  
MPS Ref. No.: IBMK10264

a label mounting member disposed proximate the label print head and adapted to support a supply of labels; and

a controller electrically coupled to the label print head and configured to control actuation and printing by the label print head to perform the automatic affixing of the labels to the printed documents in a manner that separates each printed document corresponding to a separate print job from a different one of the plurality of client devices.

28. (Previously Presented) The printing device of claim 27, wherein the label mounting member is adapted to support a roll of adhesive-backed labels.

29. (Previously Presented) The printing device of claim 27, wherein the label print head moves substantially perpendicular to the printed documents to print identifying information and affix one of the plurality of labels onto the printed documents.

30. (Original) The printing device of claim 27, wherein the label print head further comprises a label separator.

31. (Original) The printing device of claim 27, wherein the label print head is slidably coupled to at least one track.

32. (Canceled) The printing device of claim 27, further comprising a network interface configured to receive print requests from a plurality of computers.

33. (Previously Presented) The printing device of claim 27, wherein the network interface is configured for connection with a network server.

PATENT  
Atty. Dkt. No. ROC920010264US1  
MPS Ref. No.: IBMK10264

34. (Previously Presented) The printing device of claim 27, wherein the printed documents are selected from at least one of letter size paper, legal size paper, and A4 size paper.

35. (Original) The printing device of claim 27, wherein the printing device is one of an ink jet printer, a bubble jet printer, a laser printer, and a copier.

36. (Previously Presented) The printing device of claim 27, wherein the label print head further comprises a piston disposed proximate the label print head to affix one of the plurality of labels onto the printed documents.

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**